KAGRA detector status Update of the KAGRA PEM

Virgo-KAGRA PEM meeting 2020/03/27 Takaaki Yokozawa

- Observation run (25th Feb. 10th Mar.)
 - Duty cycle 74.7%(locked), 51.4%(observation)
 - Longest lock duration 10 h 28 m
 - The BNS range reached 594 kpc at maximum




First lock

August 2019


 10^{-13}

- Commissioning break (10th Mar. now)
 - An attempt to lock the DRFPMI is ongoing
 - Better alignment trial, alignment sensing and control implementation
 - Noise budget




- Transmittance light power
- Blending IR+green


- Commissioning break (10th Mar. now)
 - An attempt to lock the DRFPMI is ongoing
 - Better alignment trial, alignment sensing and control implementation
 - Noise budget
 - Acoustic injection and hammering test




- Commissioning break (10th Mar. now)
 - An attempt to lock the DRFPMI is ongoing
 - Better alignment trial, alignment sensing and control implementation
 - Noise budget
 - Acoustic injection and hammering test




- Commissioning break (10th Mar. now)
 - An attempt to lock the DRFPMI is ongoing
 - Better alignment trial, alignment sensing and control implementation
 - Noise budget
 - Acoustic injection and hammering test




- Commissioning break (10th Mar. now)
 - An attempt to lock the DRFPMI is ongoing
 - Better alignment trial, alignment sensing and control implementation
 - Noise budget
 - Acoustic injection and hammering test



- Commissioning break (10th Mar. now)
 - An attempt to lock the DRFPMI is ongoing
 - Better alignment trial, alignment sensing and control implementation
 - Noise budget
 - Acoustic injection and hammering test




- Commissioning break (10th Mar. now)
 - An attempt to lock the DRFPMI is ongoing
 - Better alignment trial, alignment sensing and control implementation
 - Noise budget
 - Acoustic injection and hammering test



Acoustic injection and hammering test

- The detail will be reported by Washimi-san



Backups

